FT MEADE

## SUPPLEMENT

TO THE

## ANNUAL REPORT OF THE SURGEON GENERAL OF THE ARMY FOR THE YEAR 1912

# International Military-Medical Statistics for the Year 1911



WASHINGTON
GOVERNMENT PRINTING OFFICE
1912



### SUPPLEMENT

TO THE

## ANNUAL REPORT OF THE SURGEON GENERAL OF THE ARMY FOR THE YEAR 1912

# International Military-Medical Statistics for the Year 1911



UH223 .AZ

9. 0F D. DEC 88 CT

\*

.

### SUPPLEMENT

TO THE

## ANNUAL REPORT OF THE SURGEON GENERAL OF THE ARMY FOR THE YEAR 1912. INTERNATIONAL MILITARY MEDICAL STATISTICS FOR THE YEAR 1911.

The following tables are those agreed upon at the International Commission for the Unification of the Medical Statistics of Armies, held at Budapest in 1894, at Madrid in 1903, and modified by the last meeting held at Berlin in 1907. They are calculated for the United States Army proper (white and colored) and include enlisted men only. Dispositions include cases remaining from last year. Deaths include suicides and accidents. Days lost include those lost this year by cases remaining from last year.

Table I shows in absolute numbers, by divisions, the mean strength of the command, the admissions to quarters, to hospital, and total admissions; the disposition of the sick, total, and the number returned to duty, died, and otherwise disposed of, and the total number of days of sickness.

Table II gives the same data in ratios per 1,000, and also shows the days lost per soldier and per admission.

Table III shows, by arms of service, the mean strength, the total admissions, and those to hospital only, the total dispositions, and the number of those returned to duty, and the number that died.

Table IV gives the same data as Table III by months.

Table V shows for each of the larger garrisons the mean strength, admissions to hospital, total admissions, and the deaths.

Table VI shows for each of the 38 diseases or disease groups agreed upon by the International Commission the number remaining under treatment at the commencement and close of the current year, the admissions and dispositions for the year, the total sick days, and the average number of days per case.

Table VII shows the admissions, by arms of service, for the diseases and disease groups referred to in Table VI.

Table VIII shows the same data as Table VII by months.

Table IX shows deaths by rank, by length of service, and by age.

Table X shows the same data as Table IX for discharges for physical disability.

International Table I.—Movement of sick by Army corps (divisions)—Absolute numbers.

		Λ	dmitted sic	k.		Sick di	sposed of.		
Department.	Mean strength.	Total.	To hospital.	To quar- ters.	Returned to duty (recovered).	Died.	Other- wise dis- posed of.	Total.	Total days sick.
United States (excluding Alaska):									
Eastern Division	17, 267	12, 721	10, 641	2, 080	12, 314	61	216	12, 591	133, 847
Central Division	12, 930	10, 434	9, 644	790	11, 295	69	310	11, 674	165, 435
Western Division	9, 970	8, 656	5, 361	3,295	6, 599	38	98	6, 735	74, 599
Recruit depots	5, 079	8,750	7,871	879	8, 186	45	717	8, 948	90, 999
Independent stations	1, 447	1, 043	563	480	L, 026	6	12	1, 044	9, 330
Maneuver camps	7, 959	6, 850	873	5, 977	5, 251	14	61	5, 326	41, 180
General hospitals	588	588	557	31	2,702	29	468	3, 199	117, 673
Total	55, 240	49, 042	35, 510	13, 532	47, 373	262	1,882	49, 517	633, 063
Alaska	1, 119	468	355	113	440	7	7	454	5, 369
Canal Zone, Panama	204	192	71	121	1.69	1		170	1,909
Porto Rico	17	5	4	1	5			5	25
Hawaii	2, 014	2, 176	1,867	309	2, 091	6	68	2, 165	32, 726
Philippines Division	12, 454	15, 172	13, 277	1, 895	14, 590	66	503	15, 159	196, 140
Army transports	1,700	1,018	994	24	791	6	10	807	14,414
Army	72, 748	68, 073	52, 078	15, 995	65, 459	348	2, 470	68, 277	883, 646

International Table II. - Movement of sick by Army corps (divisions) Proportionate numbers.

	In 1,000	0 of mean stre	ngth.	In I,	000 dispose	ed of.	Days lost.	
Department.	Total admissions.	Admissions to hospitals.	Deaths,	Returned to duty (recovered).	Died.	Otherwise disposed of.	Per soldier.	Per ad- mission.
United States (excluding Alaska):								
Eastern Division	736. 72	616, 26	3, 53	978.00	4.84	17. 16	7.75	10, 52
Central Division	806.96	745, 86	5.34	967.53	5, 91	26, 56	12.79	15.85
Western Division	868, 20	537.71	3, 81	979.81	5. 64	14.56	7.48	8.62
Recruit depots	1, 722, 78	1, 549, 71	8.86	914.84	5. 03	80. 13	17.92	10.40
Independent stations.	720.80	389, 08	4.15	982.76	5. 75	11.49	6.45	8.95
Maneuver camps	860.66	109.69	1.76	985, 92	2. 63	11.45	5. 17	6.01
General hospitals	1,000.00	947.28		844. 64	9.07	146, 29		
Total	887.80	642.83	4.72	956.70	5.29	38.01	11.46	12.91
Alaska	418.23	317.24	6. 26	969, 16	15, 42	15.42	4.80	11.47
Canal Zone, Panama	941.18	348,04	4, 90	994. 12	5, 88		9.36	9, 94
Porto Rico	294, 12	235.30		1, 000.00			1.47	5, 00
Hawaii	1, 080, 44	927.01	2.98	965, 82	2.77	31.41	16.25	15.04
Philippines Division	1, 218, 24	1, 066. 08	5.30	962, 46	4.35	33. 18	15.75	12.93
Army transports	598, 83	584.71	3, 53	980. 18	7.43	12.39	8.48	14.16
Army	935. 74	715.87	4.77	958.73	5, 10	36, 18	12. 15	12.98

International Table III.—Movement of sick, by arms of service.

			Abso	lute numl	ers.			Proportio	nate num	bers.		
Arms of service.	ن ن	Sick ad	missions.	Sic	·k disposed	of.	Per 1,000 (	of mean streng	gtlı.	Per 1,000 of sick disposed of.		
	Mean strength.	Total.	To hospital.	Total.	Fit for duty (recovered).	Deaths.	Total sick admissions.	Admissions to hospital.	Deaths.	Fit for duty (recovered).	Deaths.	
Infantry	23, 493	19, 724	14. 806	19, 744	18, 882	121	839. 57	630, 23	5. 15	956, 34	6.13	
Cavalry	11, 969	13, 082	9, 806	13, 028	12, 561	56	1, 092, 99	819.22	4.68	964. 15	4.30	
Coast Artillery	17, 289	14, 577	10, 483	14, 770	14, 249	60	843.18	606, 34	3.47	964. 72	4.00	
Field Artillery	4, 744	5,166	4, 258	5, 194	4, 971	21	1, 088, 95	897, 56	4.43	957, 07	1. 0-	
Engineers	1,812	1,776	1, 009	1, 802	1, 719	1-1	980. 13	556, 84	7.73	953, 91	7.77	
Ordnance	716	523	* 174	534	515	5	730. 45	243.02	6.98	964. 42	9.30	
Signal Corps	1, 189	897	580	892	845	4	754.42	487.80	3.36	947.31	4. 48	
Hospital Corps	3, 435	2, 324	1, 992	2, 324	2, 199	12	676.57	579.92	3.49	946. 21	5. 10	
Others	8, 101	10, 009	8, 970	9, 989	9, 518	55	1, 234. 30	1, 107. 27	6.79	952, 85	5. 5.	
Total	72, 748	68, 073	52, 078	68, 277	65, 459	348	935.74	715.87	4.77	958.73	5. 10	

Ratios for deaths based on n ean strength present and absent; total, 73,023.

## International Table IV.— Movement of sick, by months. AMERICAN TROOPS AT HOME.

			Abse	olute nun	ibers.			Proporti	onate nu	mbers.	
Month.		Sick ac	lmissions.	Sic	·k disposed	of,	Per 1,000	of mean stre	ngth.	Pér 1,00 dispose	
	Mean strength.	Total.	To hospital.	Total.	Fit for duty (recovered).	Deaths,	Total sick admissions.	Admissions to hospital.	Deaths.	Fit for duty (recovered).	Deaths.
January	55, 304	4, 914	4, 166	4,778	1. 556	23	88. 85	75. 33	0.42	953, 54	1.81
February	54, 782	4, 435	3,616	4, 387	4, 202	24	80, 96	66. 01	. 44	957. 83	5. 47
March	55, 203	4, 636	3, 098	4,814	1, 584	32	83. 98	56, 12	. 58	952, 22	6. 6
April	55, 156	4, 417	2, 630	4,638	4, 465	23	80.08	47, 68	. 42	962, 70	4. 9
May	56, 122	4, 100	2, 206	4, 101	3, 910	30	73, 06	39, 31	. 53	953, 43	7. 32
June	55, 345	3, 700	2. 153	3, 831	3, 647	20	66, 85	38, 90	. 36	951. 97	.), <u>.)</u> .
July	55, 511	3, 986	2, 879	3, 988	3,805	26	71.81	51, 86	. 17	951.11	6. 52
August	56, 951	3, 876	2, 932	3, 888	3, 745	12	68, 06	51. 48	. 21	963, 22	3.0
September	54, 962	3, 781	2, 835	3, 836	3, 677	18	68. 79	51, 58	. 33	958, 55	4. 69
October	55, 260	3, 644	2,765	3, 710	3, 558	22	65, 94	50. 04	. 40	959, 03	5. 93
November	54. 144	3, 715	2, 981	3, 732	3, 537	18	68. 61	55. 06	. 33	947. 75	4. 82
December	54, 138	3,838	3, 249	3,814	3, 687	14	70. 89	60. 01	. 26	966.70	3. 67
Total	55, 240	49, 042	35, 510	49, 517	47, 373	262	887, 80	642. 83	4. 72	956. 70	5. 29
		АМ	ERICAN	TROOPS	IN THE	РИПЛР	PINE ISLA	NDS.			
January	11.737	1, 051	847	1, 050	993	õ	89, 55	72. 16	0. 43	945. 71	4. 70
February	12, 036	798	620	840	805	ő	66, 30	51. 51	. 42	958. 33	5, 97
March	11,994	1,062	902	1,013	963	7	88, 54	75, 20	. 58	950, 64	6, 91
Åpril	12, 929	1, 112	991	1, 172	1, 130	.)	86, 01	76, 65	. 39	964.16	4. 27
May	12, 165	1, 285	1, 143	1, 204	1, 154	6	105, 63	93, 96	. 49	958, 47	1, 98
June	11,957	1, 563	1, 390	1, 453	1. 396	5	130, 72	116, 25	. 42	960.77	3. 11
July	12, 470	1,506	1, 357	1, 612	1, 559	2	120, 77	108.82	. 16	967. 12	1.24
August	12, 280	1, 422	1, 271	1, 399	1.345	9	115. 80	103. 50	. 73	961.40	6, 43
September	12, 217	1, 365	1. 182	1,418	1, 375	1	111. 73	96, 75	. 08	969, 67	. 71
October	12, 029	1, 395	1, 239	1.383	1, 340 }	7	115. 97	103.00	. 58	968, 91	5. 00
November	13, 444	1, 234	1, 111	1, 243	1, 204	4	91. 79	82. 64	. 30	968, 62	3, 22
December	14, 188	1, 379	1, 224	1,372	1, 326	10	97. 19	86, 27	. 70	966. 47	7, 20
Total	12, 454	15, 172	13, 277	15, 159	14, 590	66	1, 218, 24	1,066.08	5, 30	962. 46	4.35

67280 - 12 - -2

### International Table V. Movement of sick in the larger garrisons.

		Total ac	lmissions.	Admission	s to hospital.	Dea	ths.
Garrisons.	Mean strength.	Absolute numbers.	Per 1,000 of mean strength.	Absolute numbers.	Per 1,000 of mean strength.	Absolute numbers.	Per 1,000 of mean strength
Presidio of San Francisco, Cal	2,028	2, 183	1, 076. 44			2	0. 99
Fort Riley, Kans	1, 901	1, 143	585. 48	1,031	542. 35	5	2. 63
Fort D. A. Russell, Wyo	1, 713	1, 795	1, 047. 87	1,710	998. 25	10	5. 84
Fort Sam Houston, Tex	1, 687	1, 492	884. 41	1, 431	848. 25	22	13. 04
Fort Leavenworth, Kans	1, 369	1, 002	731. 92	880	642. 80	6	4. 38
Columbus Barracks, Ohio	1, 295	2, 678	2, 067. 95	2.617	2, 020, 85	24	18. 53
Fort Slocum, N. Y.	1, 254	2, 714		2,496	1, 990. 43	3	2. 39
Jefferson Barracks, Mo	1, 229	1, 402	1. 140. 77	1.361	1. 107. 40	13	10. 58
Fort Monroe, Va.	1, 178	900	764. 00	770	653. 65	1	. 85
Fort Sheridan, Ill.	1, 165	738	633. 48	654	561. 38	3	2. 58
Vancouver Barracks, Wash.	1, 047	998	953. 20	847	808. 98	6	5. 73
Fort Ethan Allen, Vt	826	654	791.77	622	753. 03	6	7. 20
Fort McDowell, Cal.		994	1, 215, 16	722	882. 64	4	4. 89
Presidio of Monterey, Cal	811	725	893, 96	612	754. 62	5	6. 17
Plattsburg Barracks, N. Y.	810	433	534. 57	392	483. 95	•/	(7. 1)
Fort Myer, Va.		427	622. 45	413	602. 04	3	4. 37
Washington Barracks, D. C.		497	755. 32	110	1. 52	0	1.07
Fort McKinley, Me.	655	352	537. 40	300	458. 02	3	4. 58
Fort Totten, N. Y.		382	583. 21	324	490. 08	1	1. 53
Fort Worden, Wash.		227	352. 48	216	335. 40	1	1. 55
Fort Hancock, N. J.		336	550. 82	305	500. 00	3	4. 92
Fort William H. Seward, Alaska.		116	342. 18	90	265. 49	1	2. 95
Fort Gibbon, Alaska.		118	419. 93	74	263. 35	1	3. 56
Fort Liscum, Alaska	194	112	577. 32	90	463. 91	2	10. 31
Fort St. Michael, Alaska		50	328. 95	45	296. 05	1	6. 58
Fort Davis, Alaska		68	465. 75	48	328.76	2	13. 70
Schofield Barracks, Hawaii		1, 638	1, 116, 56		939. 33	اد ا	2. 73
Fort Shafter, Hawaii.		271	906. 35	234	782. 61	1	3. 34
Fort Ruger, Hawaii		170	850. 00	108	540. 00	1	5. 00
Fort De Russy, Hawaii		165	1. 085, 53	143	940. 79	1	
Fort William McKinley, P. I.		3. 438	1. 190. 85	3, 218	1, 114, 65	17	6. 58 5. 89
Fort Mills, P. I.		1,876	1. 083. 14	1, 482	855. 66	5	$\frac{5.89}{2.89}$
Camp Stotsenburg, P. I		2.380	1. 981. 68	2, 183	1, 817. 65	6	5. 00
Camp Keithley, P. I.		733	707. 53	686	662. 16	7	6. 76
Augur Barracks, P. I		1, 122	1. 095. 70	1, 043		14	13. 67
Camp Jossman, P. I.		995	1, 169. 21	908	1. 066. 98	1.4	13. 07
Camp McGrath, P. 1.		1. 232	1, 477. 22	747	895. 68	9	2. 40
Camp Gregg, P. I.		268	383. 95	224	320. 91	-	
Ludlow Barracks, P. I		454	836. 10	430	791. 90	2	2. 87
Cuartel de Espana, P. I.		658	1, 220, 78	480	791. 90 894. 25	1	1. 84
Pettit Barracks, P. I.		299	612. 70	288	) 594. 25 ) 590. 16	2	3.71
Warwick Barracks, P. I.		545	1. 164. 53	518	1, 406, 84	1	8. 20
Camp Connell, P. I		283	628. 89			2	1. 27
Davao, P. I		319		279	620, 00		2. 22
Camp Overton, P. 1		305	987. 06	302	809, 65	3	8. 01
				278	899, 68	3	9. 71
Regan Barracks, P. 1	308	321	1, 042. 24	345	1, 022, 73		

#### International Table VI. Movement of sick according to most important diseases.

al al					Absob	ute n	umbe	rs.				– Pr	oportionat	e numbe	rs.	
international nenclature	Diseases of the international nosological table.	g at close 910.	in 1911.	ining and tted.	Disp	osed	of in		g at close	s sick in	Per l of m stren	ean	Per 1,00	00 dispos	ed of.	days of a
No. of		Remaining at of 1910.	Admitted in 1911	Total remaining and admitted.	Fit for duty.	Died.	Other- wise.	Total.	Remaining of 191	Total days	Admis- sions.	Deaths,	Fit for duty.	Died.	Other- wise,	Average day treatment
1	Alkoholismus acutus, includ-															
	ing delirium tremens	14	1, 421	1, 435	1, 382	3	29	1,414	22	6, 004	19.53	0, 04	977.37	2.12	20, 51	4, 23
2	Appendicitis, typhlitis, and	1.1	450	107	(0.1	1 1	21	443	9.0	10.000	4 20	(31)	004.00	10.01	~D 0/1	07 05
3	perityphlitis Bronchitis acuta							2 165	$\frac{38}{26}$	12, 398 13, 503	6. 23	. 08	934. 93 991. 69	13. 01		$\begin{vmatrix} 27.37 \\ 6.28 \end{vmatrix}$
4	Cholera Asiatica															
5	Cholera nostras			1									1,000.00			22, 00
6	Diphtheria et croup							'		1,003			861.11			21. 80
7	Dysenteria				293	1	15		19	7, 144		. 01		3. 24		23.65
8	Erysipelas		43	48	45		-4	-19					918.37		81.63	18. 37
9	Febris intermittens (malaria) <sup>1</sup>	. 22	1, 465	1, 487	1, 422	1	27	1, 450	37	11, 313	20.14	. 01	980, 69	. 69	18, 62	7. 72
10	Febris recurrens					·										
11	Fractura ossium				756		63	840	91	34, 619	11. 22	. 29	900, 00	25.00	75.00	42.43
12	Gonorrhea							7, 365					951, 53			
13	Hernia		306					298					885.91			
14	Influenza	. 46	1, 201	1, 247	1, 223		15	1, 238	10	6, 750	16.51		987.88		12. 12	5. 62
15	Insolatio (Hitzschlag, coup de		1.1	1.7				1 1		H 4	1		1 000 00			
1.0	chaleur)												.,			
16 17	Luxationes articulorum	11	213	224	209	1	6	216	10	3, 288	2.93	. 01	967. 59	4. 63	27. 78	15.44
1/	demica		. 4	A	1	3		.1		127	. 05	. 04	250.00	750.00		21 .15
18	Morbilli			1, 260	1 114	25	69	1, 208	52	23, 353	17. 29	. 34	922. 19		57.12	18. 57
19	Parotitis epidemica				999			1, 032	33	17, 105	14. 46					16. 26
20	Pleuritis					3	10	196	8	5, 536	2. 68	. 04		15.31		28. 39
21	Pneumonia crouposa sive loba-			2(,,,	.00					7, 300	2. 00.		0.3.3.		.,	(·. • 7•)
	ris	. 18	127	145	109	20	7	136	11	4, 394	1, 75	. 27	801.47	147.06	51.47	34, 60
22	Rheumatismus articulorum	. 46	693	739			50	702	35	17,717						25. 57
23	Scarlatina	. 3	7	10	9		1	10		. 287	. 10		900.00		100.00	41.00
24	Scorbutus		. 3	3	3			3		53	. 04		1, 000. 00			17. 67
25	Syphilis	. 197	3, 574	3, 771	3, 467	7	114	3, 588	180	79, 812	49.13	. 10	966. 27	1.95	31.77	22, 33
26	Trachoma	. 1	27	28	22		4	26	2	564	. 37		846.15		153. 84	20, 89
27	Tuberculosis pulmonum <sup>2</sup>	. 103	228	331	31	21	206	258	¥ 77	32, 686	3. 13	29	120, 15	81.40	798.45	143. 36
28	Tuberculosis ceterorum organo-															
	rum						21	53	5	3, 254	. 60	. 15		207. 55		73. 95
29	Typhus abdominalis			93	67	7	8	82	10	4, 989	. 78	. 10	817. 07	85.37	97. 56	87. 53
30	Typhus exanthematicus								Leo				0.000 1			
31	Ulcus molle								178	50, 940						19, 89
32	Variola				541		34	575	23	189 9, 673			1,000.00			37, 80 16, 82
33 34	Morbi auris		139	155	77	- 21	49	117	25 13	1, 968	1. 90	. 29		142.86		$\frac{16.82}{35.71}$
34 35	Morbi cutis <sup>1</sup>		$\frac{159}{1,823}$					1,823	34	15,206				142.80		) 59. 74 8. 34
36	Morbi mentis <sup>5</sup>		126	150				126	20	11, 270	1. 73	1		1		89.11
37	Morbi oculi		797	834	775		34	809	25	9, 673	10, 96					12. 14
38	Morbi systemat, urin, et sexual	1					1									1
7,17	(excluding venerie et syphi-															
	lis)	42	931	973	851	13	64	928	45	15, 656	12.80	. 18	917. 03	14.01	68. 97	16, 82
		J.												<u></u>		
	1 Malarial forces intermittent				2 %	n alarda	a mania	arditis a	and and ac	anditio		5	Includes ins	anita onla		

<sup>&</sup>lt;sup>1</sup> Malarial fever, intermittent only. <sup>2</sup> Includes tuberculosis of the larynx.

<sup>3</sup> Includes pericarditis and endocarditis.
4 Includes diseases of the skin proper.

Includes insanity only.

#### International Table VII. - Most important diseases, by arms of service.

international enclature.		Abso	lute ni		—adı servi		ons	by	arm	s of	Propo	ortionate	numbe	rs—adm	issions p	per 1,00	00 of m	ean stre	ength.
No. of inter- nomencla	Diseases of the international nosological table.	Infantry.	Cavalry.	Coast Artillery.	Field Artillery.	Engineers.	Ordnance.	Signal Corps.	Hospital Corps.	Others.	Infantry.	Cavalry.	Coast Artillery.	Field Artillery.	Engineers.	Ordnance.	Signal Corps.	Hospital Corps.	Others.
1	Alkoholismus acutus,																		
	including delirium tremens	536	144	439	42	24	.95	99	9.6	0.9	99 81	19 08	95. 90	8.85	19 95	34 99	27 76	25.03	11.36
2	Appendicitis, typhilitis,	990	177	665	. 72	24	120	1313	00	92	44. OI	12.00	29. 00	0.00	10), 20	01.02	27.70	29. 00	11.00
	and perityphilitis	125	82	98	29	18	1	4	48	48	5. 32	6. 85	5. 67	6. 11	9. 93	1.40	3. 36	13. 97	5. 93
3	Bronchitis acuta		328		154	1					25. 33	)		32.46				7	45. 55
4	Cholera Asiatica		; ,																
5	Cholera nostras			1									. 06						
6	Diphtheria et eroup	19	5	3	3	3	1		6	6	. 81	. 42	. 17	4					. 74
7	Dysenteria		30	30	6				1.	11							2. 52		1. 36
8 9	Erysipelas Febris intermitteus	16	4	3	4	3	1 1		1	11	. 68	. 33	. 17	. 84	1.66	1.40		. 29	1.36
	(malaria) <sup>1</sup>	338	346	370	119	145	3	7	36	101	14.39	28. 91	21.40	25.08	80.02	4.19	5. 89	10.48	12. 47
10	Febris recurrens		1																
11	Fractura ossium		198		90					52	11.19	16. 54			14. 35				6. 42
12	Gonorrhea							84	1		102.03				91.06				
13	Hernia		59	52	20	6	3	10	1	72		4. 93	3.01	4. 22			. 84		8. 89
14	Influenzalusolatio (Hitzschlag,	277	134	441	40	27	16	12	67	187	11.79	11. 20	25, 51	8. 43	. 14. 90	22, 35	10.09	19. 50	23. 08
15	coup de chaleur)	Q		17	1						19		40	91					
16	Luxationes articulorum.	61	47		10			2	7	20	2.60	3. 93	3. 35					2. 04	2. 47
17	Meningitis cerebrospi-	O1	1.1	00	10			2	,	20	2.00	0.00	0.00	2. 11	7, 72		1.00	2.01	<u></u> , ⊤≀
	nalis, epidemica	1	2							1	. 04	. 17							. 12
18	Morbilli	295	77	158	49	14	1	7	35	622	12. 56	6. 43	9.14	10. 33	7. 73	1.40	5. 89	10. 19	76. 78
19	Parotitis epidemica	379	123	168	77	22		13	61	209	16.13	10. 28	9.72	16. 23	12. 14		10.93	17. 76	25.80
20	Pleuritis	76	23	38	20	2	2	1	7	26	3. 23	1.92	2, 20	4. 22	1.10	2.79	. 84	2.04	3. 21
21	Pneumonia crouposa											1							
	sive lobaris	42	15	29	5	4	3	I	4	24	1.79	1. 25	1. 68	1, 05	2. 21	4. 19	. 84	1.16	2, 96
22	Rheumatismus articu-												1						
	lorum	279	99	126	38	22		13	28	78	11.88	8. 27			12. 14				9. 63
23	Scarlatina			1	1				1	3		. 08	. 06	. 21				. 29	. 37
24	Scorbutus		607		231	101	17	57	1.67	491	50.10	50 71	. 17	10 70	55. 74	99 74	47 04	10 60	51.07
$\frac{25}{26}$	SyphilisTrachoma	5	3						1	19	50. 10	50. 71							51. 97 2. 35
27	Tuberculosis pulmonum <sup>2</sup>	69	28	56	16			3	31	19	2. 94	2. 34	3. 24	3. 37	3. 31			9. 03	$\frac{2.35}{2.35}$
28	Tuberculosis ceterorum														0.01				2,0
	organorum	13	8	8	7			3	1	4	. 55	. 67	. 46	. 1.48			2. 52	. 29	. 49
29	Typhus abdominalis	18	7	10		5	1	1	4	11	. 77	. 58				1.40	. 84	1.16	1.36
30	Typhus exanthematicus.																		
31	Ulcus molle	915	611	175	271	54	3	22	64	146	38. 95	51.05	27.48	57.13	29, 80	1. 19	18, 50	18.63	18, 02
32	Variola		1	1					1	2	. 04	. 08						. 29	. 25
33	Morbi auris		72	95	_ 26		3	8	24	111	8, 64	6.02	5, 49	5. 48	18. 21	4, 19	6. 73	6, 99	13.70
34	Morbi cordis <sup>3</sup>		21		11	2	1	1	8	22	1.96	1.75	1.39	2. 32	1.10	5. 59	. 84	2.33	2.72
35	Morbi cutis 4		260		119	45		17		409	19.96	21.73	26.14	25.08	24.83	26. 54		9. 61	50. 49
36	Morbi mentis 5		23	19	7	0.4		3	8	10	2. 38	1.92	1. 10		10 05		2. 52	2. 33	1. 23
37	Morbi oculi	233	142	176	44	2.4	11	20	24	123	9.92	11.86	10.18	9. 27	13. 25	15. 36	16.82	6.99	15, 18
38	Morbi systemat, urin et sexual (excluding ve-						1												
Į.	nerie et syphilis)	241	17.1	213	71	2,1	5	26	30	138	10.26	14 54	19 29	14 97	13 95	6.09	91 97	11 25	17.04
	merice (to pinns)	=11		210	11	27		() ـــ	00	1.00	10. 20	11.01	12.02	17.01	10. 20	0.98	21.07	11.50	17, 04

<sup>1</sup> Malarial fever, intermittent only. 2 Includes tuberculosis of the larnyx. 3 Includes pericarditis and endocarditis. 4 Diseases of the skin proper only. 5 Insanity only.

### International Table VIII. Most important diseases by months.

No. of		Admissions by months.													
interna- tional nomen- clature.	Diseases of the international nosological table.	Jan- uary.	Febru- ary.	March.	April.	May.	Јине.	July.	Au- gust.	Sep- tem- ber.	Octo- ber.	No- vem- ber.	De- cem- ber.		
1	Alkoholismus acutus, including deli-														
	rium tremens	120	115	123	127	105	107	123	128	135	101	105	132		
2	Appendicitis, typhlitis, perityphlitis	38	34	43	33	39	37	34	36	43	36	43	37		
3	Bronchitis acuta	333	263	301	194	147	106	112	99	123	157	169	145		
4	Cholera Asiatica					· · · · · ·									
5	Cholera nostras.								1						
6	Diphtheria et croup	8	4				1		1	1	3	5	19		
7	Dysenteria		11	22	19	38	30	22	29	20	32	17	23		
8	Erysipelas.	3	7	14	3	6	1	2	2			2	3		
9	Febris intermittens (malaria)	99	79	64	91	109	120	134	149	189	164	104	163		
10	Febris recurrens														
11	Fractura ossium	54	54	70	63	67	73	78	68	75	66	78	70		
12	Gonorrhea	621	560	603	537	571	536	637	655	649	650	677	637		
13	Hernia	39	31	32	21	22	28	17	18	30	26	16	26		
14	Influenza	350	258	218	77	37	21	26	18	22	56	70	48		
15	Insolatio (Hitzschlag, coup de chaleur).			1		1	5	3	2		40		10		
16	Luxationes articulorum	14	20	17	13	11	22	17	25	23	10	23	18		
17	Meningitis cerebrospinalis epidemica	105		1	Levi	118			· · · · · · · · · · · · · · · · · · ·	70	41		٥٣		
18	Morbilli	135	181	240	171	117	58	58	50	72	41	50	85		
19	Parotitis epidemica	46	138	264	246	149	60	31	5 12	10	27	28	48		
20	Pleuritis.	13	16	23	17	25	16	20		15	14	10	14		
21	Pneumonia crouposa sive lobaris Rheumatismus articulorum	32	16	13	14	6	3	5	6	9	47		14		
22		74	76	95	91	79	53	38	31	30	47	36	43		
23	Scarlatina	1	1	3		1				1	7		1		
24	Scorbutus		255	315	263	256	312	333	383	289	289	343	314		
25	Syphilis			1			512	3	909 T	289	3	940 1	314		
26	Trachoma		27	13	21	6 20	19	$\frac{3}{19}$	17	15	23	19	17		
27	Tuberculosis pulmonum  Tuberculosis ceterorum organorum		5	4	6	4	2	5	17	2	3	5	1.7		
28 29	Typhus abdominalis		3	1.	7	4	6	4	7	6	6	3	3		
30	Typhus exanthematicus			٦	6	7	1	- I	1	U	()	0	•		
31	Ulcus molle	205	194	189	172	211	214	216	215	204	219	275	247		
32	Variola.	200	' 1	100	112	1	iii L L	<u></u>	210	201	1				
33	Morbi auris.	_	50	51	39	46	53	52	46	64	47	36	38		
34	Morbi cordis	• 13	12	12	7	14	18	13	13	6	10	8	13		
3 <del>4</del> 35	Morbi cutis.		140	160	148	140	160	173	171	162	129	157	139		
36	Morbi mentis.	10	12	5	13	13	7	11	13	8	120	13	10		
30 37	Morbi oculi	69	56	76	71	108	70	68	61	49	58	53	58		
38	Morbi systemat, urin et sexual (exclud-	0.0	700	7.0		100	10		01	10	30	30			
56	ing venerie et syphilis)	68	68	65	79	72	74	66	88	97	82	84	88		
	mg venerie et sypiims)	00	1	,		12	1.	30	30	.,,	1				

#### International Table IX.—Deaths, by rank, by length of service, and by age.


	of d	number eaths d men).	Deatl	Deaths by age.								
Cause of death.	Absolute num- bers.	Per 1,000 of mean strength.	commis- sioned	Soldiers in first year of service.	Soldiers in second year of service.	Soldiers in third year of service and beyond.	20 and under.	21 to 25.	26 to 30.	31 to 35.	36 to 40.	41 and over.
Deaths from sickness:		,							-			
Soldiers present with troops	132	1.81	35	48	8	41	16	41	22	23	14	16
Soldiers absent from troops	62	. 85	25	14	2	21	5	17	12	14	5	9
Accidental deaths:1								•	ŀ			
Soldiers present with troops	63	. 86	14	9	8	32	2	22	17	8	6	8
Soldiers absent from troops	41	, 56	5	6		30		14	15	7	3	2
Suicides:												1
Soldiers present with troops	39	. 53	13	7	3	16		12	9	6	3	9
Soldiers absent from troops	11	. 15	4	3	1	3	- • • • •	5	1	1	1	3
Grand total	348	4. 77	96	87	22	143	23	111	76	59	32	47

<sup>&</sup>lt;sup>1</sup> Includes 25 homicides and killed in action.

International Table X.—Discharges from the Army for physical disability, temporary or permanent, by rank, length of service, and by age.

		ischarges d men).	Ran	k and len	gth of sei	vice.	Age.						
Cause of discharge.	Absolute lute num- bers.	Per 1,000 of mean strength.	commis- sioned	in first year of	Soldiers in second year of service.	year of	20 and under.	21 to 25.	26 to 30.	31 to 35.	36 to 40.	41 and over.	
Physical disability existent prior to enlistment	403	5. 52	2	315	37	49	57	254	62	25	4	1	
Physical disability incident to service	483	6. 61	89	97	62	235	24	185	131	70	40	33	
Physical disability not incident to service	125	1.71	8	46	16	55	5	56	33	15	8	8	
Grand total	1,011	13, 84	99	458	115	339	86	495	226	110	52	42	

George H. Torney, Surgeon General, U. S. Army. Military divisions, United States, continental (excluding Alaska), showing the relative admission, death, and discharge rates for disease.



Relative admission, death, and discharge rates for disease.

